

1. Product and Company Identification

| | | |
|--------------------------------------|--|--|
| Product identifier | pH-Treat Condensate Neutralizer / Media (4720-14, 4720-15) | |
| Other means of identification | Not available | |
| Recommended use | For use in Condensate Neutralizers | |
| Recommended restrictions | None known. | |
| Manufacturer information | Nu-Calgon 2611 Schuetz Road St. Louis, MO 63043 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC) | |
| Supplier | See above. | |

2. Hazards Identification

| | | |
|-----------------------------------|-----------------|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Carcinogenicity | Category 1A |
| Environmental hazards | Not classified. | |
| WHMIS 2015 defined hazards | Not classified | |
| Label elements | | |



| | | |
|--|---|--|
| Signal word | Danger | |
| Hazard statement | May cause cancer. | |
| Precautionary statement | | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye protection. | |
| Response | IF exposed or concerned: Get medical attention. | |
| Storage | Store locked up. | |
| Disposal | Dispose of container in accordance with local, regional, national and international regulations. | |
| WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) | None known | |
| WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) | None known | |
| Hazard(s) not otherwise classified (HNOC) | None known. | |
| Supplemental information | None. | |

3. Composition/Information on Ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------|--------------------------|------------|---------|
| Crystalline silica | | 14808-60-7 | 0.1-1* |
| Limestone | | 1317-65-3 | 80-100* |
| Magnesium oxide | | 1309-48-4 | 5-10* |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.
 *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

| | |
|---|---|
| Inhalation | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. |
| Skin contact | Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. |
| Eye contact | Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists. |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. |
| Most important symptoms/effects, acute and delayed | Coughing. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | IF exposed or concerned: Get medical advice. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. |

5. Fire Fighting Measures

| | |
|--|---|
| Suitable extinguishing media | Carbon dioxide. Dry chemical powder. Water fog. Foam. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Use water spray to cool unopened containers. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Hazardous combustion products | May include and are not limited to: Oxides of magnesium. Oxides of carbon. |

6. Accidental Release Measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters. |

7. Handling and Storage

| | |
|---|--|
| Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin and clothing. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Wear appropriate personal protective equipment. Should be handled in closed systems, if possible. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children. |

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|-------------------------------------|------|-------------------------|-----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.025 mg/m ³ | Respirable particles. |
| Limestone (CAS 1317-65-3) | TWA | 10 mg/m ³ | |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|---------------------------------|------|----------|-------|
| Magnesium oxide (CAS 1309-48-4) | TWA | 10 mg/m3 | Fume. |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value | Form |
|-------------------------------------|------|-------------|------------------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| Limestone (CAS 1317-65-3) | STEL | 20 mg/m3 | Total dust. |
| | TWA | 3 mg/m3 | Respirable fraction. |
| | TWA | 10 mg/m3 | Total dust. |
| Magnesium oxide (CAS 1309-48-4) | STEL | 10 mg/m3 | Respirable dust and/or fume. |
| | TWA | 3 mg/m3 | Respirable dust and/or fume. |
| | TWA | 10 mg/m3 | Inhalable fume. |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|-------------------------------------|------|-------------|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |
| Magnesium oxide (CAS 1309-48-4) | TWA | 10 mg/m3 | Inhalable fraction. |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable fraction. |
| Magnesium oxide (CAS 1309-48-4) | TWA | 10 mg/m3 | Inhalable fraction. |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable dust. |
| Limestone (CAS 1317-65-3) | TWA | 10 mg/m3 | Total dust. |
| Magnesium oxide (CAS 1309-48-4) | TWA | 10 mg/m3 | Fume. |

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|-------------------------------------|------|------------|----------------------|
| Crystalline silica (CAS 14808-60-7) | PEL | 0.05 mg/m3 | Respirable dust. |
| Limestone (CAS 1317-65-3) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| Magnesium oxide (CAS 1309-48-4) | PEL | 15 mg/m3 | Total particulate. |

US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components | Type | Value | Form |
|-------------------------------------|------|-----------|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable. |
| | | 2.4 mppcf | Respirable. |
| Magnesium oxide (CAS 1309-48-4) | TWA | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|-------------------------------------|------|-------------------------|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.025 mg/m ³ | Respirable fraction. |
| Magnesium oxide (CAS 1309-48-4) | TWA | 10 mg/m ³ | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value | Form |
|-------------------------------------|------|---|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA | 0.05 mg/m ³ | Respirable dust. |
| Limestone (CAS 1317-65-3) | TWA | 5 mg/m ³ 10 mg/m ³ | Respirable. Total |

| | |
|--|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. |
| Appropriate engineering controls | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Skin protection | |
| Hand protection | Impervious gloves. Confirm with reputable supplier first. |
| Other | Use of an impervious apron is recommended. As required by employer code. |
| Respiratory protection | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). |
| Thermal hazards | Not applicable. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink. |

9. Physical and Chemical Properties

| | |
|---|-----------------------|
| Appearance | Granular powder |
| Physical state | Solid. |
| Form | granular |
| Color | Grey |
| Odor | Odorless |
| Odor threshold | Not available. |
| pH | 8 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | > 4046 °F (> 2230 °C) |
| Pour point | Not available. |
| Specific gravity | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | None |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |

| | |
|---------------------------|------------------------|
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Soluble |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Density | 2.68 g/cm ³ |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |

10. Stability and Reactivity

| | |
|---|--|
| Reactivity | This product may react with strong oxidizing agents. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Chemical stability | Material is stable under normal conditions. |
| Conditions to avoid | Do not mix with other chemicals. |
| Incompatible materials | Acids. Phosphorus. Fluorine. Chlorine trifluoride. Oxygen difluoride. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. Oxides of magnesium. |

11. Toxicological Information

| | |
|---|--|
| Routes of exposure | Eye, Skin contact, Inhalation, Ingestion. |
| Information on likely routes of exposure | |
| Ingestion | May cause stomach distress, nausea or vomiting. |
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Symptoms related to the physical, chemical and toxicological characteristics | Coughing. |

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|-------------------------------------|---------------|--------------------------|
| Crystalline silica (CAS 14808-60-7) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Not available | |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 500 mg/kg, HSDB, IV only |
| Limestone (CAS 1317-65-3) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Not available | |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 6450 mg/kg, CCOHS, CSST |
| Magnesium oxide (CAS 1309-48-4) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Not available | |

| Components | Species | Test Results |
|---|--|---------------------------|
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 3990 mg/kg, Canada Colors |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | |
| Corneal opacity value | Not available. | |
| Iris lesion value | Not available. | |
| Conjunctival reddening value | Not available. | |
| Conjunctival oedema value | Not available. | |
| Recover days | Not available. | |
| Respiratory or skin sensitization | | |
| Canada - Alberta OELs: Irritant | | |
| Limestone (CAS 1317-65-3) | Irritant | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | May cause cancer. | |
| | <p>In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)</p> <p>In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)</p> <p>According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits.</p> <p>Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.</p> | |
| ACGIH Carcinogens | | |
| Crystalline silica (CAS 14808-60-7) | A2 Suspected human carcinogen. | |
| Canada - Alberta OELs: Carcinogen category | | |
| Crystalline silica (CAS 14808-60-7) | Suspected human carcinogen. | |
| Canada - Manitoba OELs: carcinogenicity | | |
| SILICA, CRYSTALLINE-.ALPHA.-QUARTZ, RESPIRABLE FRACTION (CAS 14808-60-7) | Suspected human carcinogen. | |
| Canada - Quebec OELs: Carcinogen category | | |
| Crystalline silica (CAS 14808-60-7) | Suspected carcinogenic effect in humans. | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| Crystalline silica (CAS 14808-60-7) | Volume 68, Volume 100C 1 Carcinogenic to humans. | |
| US - California Proposition 65 - CRT: Listed date/Carcinogenic substance | | |
| Crystalline silica (CAS 14808-60-7) | | |
| US NTP Report on Carcinogens: Known carcinogen | | |
| Crystalline silica (CAS 14808-60-7) | Known To Be Human Carcinogen. | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | | |
| Crystalline silica (CAS 14808-60-7) | Cancer | |

| | |
|---|--|
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Teratogenicity | Not available. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not an aspiration hazard. |
| Chronic effects | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. |

12. Ecological Information

| | |
|--------------------------------------|---|
| Ecotoxicity | Not available. |
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Mobility in general | Not available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal Considerations

| | |
|--|--|
| Disposal instructions | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport Information

| | |
|---|--|
| Transport of Dangerous Goods (TDG) Proof of Classification | Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below. |
| U.S. Department of Transportation (DOT) | Not regulated as dangerous goods. |
| Transportation of Dangerous Goods (TDG - Canada) | Not regulated as dangerous goods. |

15. Regulatory Information

| | | |
|--|--|---------|
| Canadian federal regulations | This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR. | |
| Canada CEPA Schedule I: Listed substance | | |
| Magnesium oxide (CAS 1309-48-4) | | Listed. |
| Canada DSL Challenge Substances: Listed substance | | |
| Crystalline silica (CAS 14808-60-7) | | Listed. |
| Canada Priority Substances List (Second List): Listed substance | | |
| Magnesium oxide (CAS 1309-48-4) | | Listed. |
| Export Control List (CEPA 1999, Schedule 3) | | |
| Not listed. | | |
| Greenhouse Gases | | |
| Not listed. | | |
| Precursor Control Regulations | | |
| Not regulated. | | |
| WHMIS 2015 Exemptions | Not applicable | |
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. | |
| | All chemicals used are on the TSCA inventory. | |

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Crystalline silica (CAS 14808-60-7)

Cancer
lung effects
immune system effects
kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - No
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Magnesium oxide (CAS 1309-48-4) Listed.

US - Minnesota Haz Subs: Listed substance

Crystalline silica (CAS 14808-60-7) Listed.

Limestone (CAS 1317-65-3) Listed.

Magnesium oxide (CAS 1309-48-4) Listed.

US - New Jersey RTK - Substances: Listed substance

Crystalline silica (CAS 14808-60-7)

Limestone (CAS 1317-65-3)

Magnesium oxide (CAS 1309-48-4)

US - Texas Effects Screening Levels: Listed substance

Crystalline silica (CAS 14808-60-7) Listed.

Limestone (CAS 1317-65-3) Listed.

Magnesium oxide (CAS 1309-48-4) Listed.

US. Massachusetts RTK - Substance List

Crystalline silica (CAS 14808-60-7)

Limestone (CAS 1317-65-3)

Magnesium oxide (CAS 1309-48-4)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Crystalline silica (CAS 14808-60-7)

Limestone (CAS 1317-65-3)

Magnesium oxide (CAS 1309-48-4)

US. Rhode Island RTK

Crystalline silica (CAS 14808-60-7)

Limestone (CAS 1317-65-3)

Magnesium oxide (CAS 1309-48-4)

US. California Proposition 65



WARNING: This product can expose you to Silica, crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline silica (CAS 14808-60-7)

Listed: October 1, 1988

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|----------------------------|-----|
| HEALTH | * 1 |
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

21-August-2022

Version #

01

Effective date

21-August-2022

Prepared by

Nu-Calgon Technical Service Phone: (314) 469-7000

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.