

SAFETY DATA SHEET

This safety data sheet complies with the requirements of: OSHA Hazard Communication Standard (29 CFR 1910.1200)

Product Name: Nu-Calgon PVE FVC68D, 6 x 1 Quart Case Product Code: 4319-24

Revision Date: 18-Jan-2024 Revision Number: 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name:	Nu-Calgon PVE FVC68D, 6 x 1 Quart Case
Other means of identification	
Product Code:	4319-24
1.2 Recommended use of the chemical and restrictions on the second s	<u>use</u>
Recommended Use:	Refrigerant Oil
1.3 Details of the supplier of the safety data sheet	
Supplied by:	Nu-Calgon 2611 Scuetz Road St. Louis, MO 63043 USA Telephone: (314) 469-7000 / (800) 554-5499
Manufactured by:	IDEMITSU KOSAN CO., LTD 3-1-1 MARUNOUCHI CHIYODA-KU TOKYO JAPAN PHONE: +81-3-3213-3143
24 Hour Emergency Phone Number:	Within USA and Canada: 1 800-424-9300 Outside USA and Canada: + 1 703-741-5970 (collect calls accepted)

2. HAZARDS IDENTIFICATION

2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization	Category 1
Reproductive toxicity	Category 2 Testes

2.2 Label elements

Signal word	Warning
Hazard Statements	H317 - May cause an allergic skin reaction H361 - Suspected of damaging fertility or the unborn child if swallowed
Precautionary Statements - Prevention	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing and eye/face protection P261 - Avoid breathing dust, fume, gas, mist, vapors, or spray P272 - Contaminated work clothing should not be allowed out of the workplace
Precautionary Statements - Response	P308 + P313 - IF exposed or concerned: Get medical advice/attention P362 + P364 - Take off all contaminated clothing and wash it before reuse
Skin	P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P363 - Wash contaminated clothing before reuse P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
Precautionary Statements - Storage	P405 - Store locked up
Precautionary Statements - Disposal	P501 - Dispose of contents/ container to an approved waste disposal plant
2.3 Other information	
Hazards not otherwise classified (HNOC):	Not applicable
Other hazards	May be harmful if swallowed

May be harmful in contact with skin Toxic to aquatic life Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixture

Hazardous Components

Chemical name	CAS-No	weight-%	US GHS Classification	Notes
Tricresylphosphate	1330-78-5	1-5	Reproductive 2 (H361)	
			Aquatic Acute 1 (H400)	
			Aquatic Chronic 1	
			(H410)	
Oxirane,	2461-15-6	<1	Skin Sens. 1 (H317)	
[[(2-ethylhexyl)oxy]methyl]-				

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice	If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for medical treatment.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. Call a physician immediately.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice or attention. IF exposed or concerned: Get medical advice.
Inhalation	In case of inadequate ventilation wear respiratory protection. If breathing difficulties develop, move victim away from source of exposure and into fresh air in a position comfortable for breathing. If unconscious place in recovery position and seek medical advice. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately.
Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Protection of First-aiders	Use personal protective equipment. Avoid contact with eyes, skin and clothing.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms	See Section 11 for additional Toxicological information.
4.3 Indication of any immediate me	edical attention and special treatment needed
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHT	ING MEASURES	
---------------	--------------	--

Flammable Properties

5.1 Suitable extinguishing media

Unsuitable Extinguishing Media:

5.2 Specific Hazards Arising from the Chemical

Hazardous combustion products

5.3 Protective Equi	ipment and Precautions for Firefighte	ers:

Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus.

Use, Water spray, Alcohol resistant foam, Dry chemical, Carbon

Do not use a solid water stream as it may scatter and spread fire.

Keep product and empty container away from heat and sources

During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and

NFPA: Class IIIB Combustible Liquid

dioxide (CO2)

of ignition.

are not limited to: Carbon oxides Oxides of Phosphorus

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Ensure adequate ventilation. Remove all sources of ignition.
6.2. Environmental precautions	
Environmental Precautions	See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow into any sewer, on the ground or into any body of water. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.
6.3 Methods and material for contain	nment and cleaning up
Methods for Clean-up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Spill Management	
LARGE SPILLS	Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities.
WATER SPILLS	Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling		Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Avoid contact with eyes, skin and clothing. Use personal protection recommended in the SDS. Wear protective gloves, protective clothing, eye protection, and face protection. Wash hands thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.
Safe Handling Advice		Wear personal protective equipment. Do not breathe vapors, spray, or mist. Use product only in closed system.
7.2. Conditions for safe storage, inc	luding any incompatibili	ties
Storage		Keep in properly labeled containers. Keep container tightly closed in a dry and well-ventilated place.
Technical measures/Precaution	s	Ensure adequate ventilation.
8. EXPOSURE CONTROLS/P	ERSONAL PROTECT	ΓΙΟΝ
8.1. Control parameters		
Exposure Guidelines		ntain any hazardous materials with occupational exposure limits specific regulatory bodies.
8.2 Exposure controls		
Appropriate engineering controls	this material (see Section in the work place when d equipment. If engineerin to harmful levels of this m recommended. The use	ion, especially in confined areas. Consider the potential hazards of 2), applicable exposure limits, job activities, and other substances esigning engineering controls and selecting personal protective of controls or work practices are not adequate to prevent exposure naterial, the personal protective equipment listed below is r should read and understand all instructions and limitations ent since protection is usually provided for a limited time or under
Personal Protective Equipment		
Eye/face protection	, , , , , , , , , , , , , , , , , , , ,	with side shields are recommended as minimum protection in shes are likely to occur wear tight fitting safety goggles and/or
Skin protection		lothing. Long sleeved clothing. Choose the appropriate protective d on the tasks being performed to avoid exposed skin surfaces. Nitriles
Respiratory protection	respiratory protection sho required for high airborne	eeded or irritation is experienced, NIOSH/MSHA approved ould be worn. Positive-pressure supplied air respirators may be e contaminant concentrations. Respiratory protection must be with current local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical state Odor Odor Threshold pH Melting point / melting range Boiling point / boiling range Flash Point Evaporation Rate Flammability Limit in Air Explosion Limits Vapor pressure @20 °C (kPa) Vapor density Density Solubility(ies) Partition coefficient Autoignition Temperature	Clear / Colorless Liquid Characteristic No information available Not applicable No information available > 180 °C / 356 °F COC ASTM D92 No information available No information available
Decomposing Temperature	No information available
Kinematic viscosity	@ 40C = 66.57 cSt; @ 100C = 8.04 cSt

9.2. Other information

No additional information available

10. STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	The product is chemically stable.
10.2. Chemical stability	
Chemical Stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
10.4. Conditions to avoid	
Conditions to Avoid	Heat, flames and sparks.
10.5. Incompatible materials	
Incompatible Materials	Strong acids, Strong bases
10.6. Hazardous decomposition products	
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause slight irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	May be harmful if swallowed.
11.2 Information on toxicological e	effects
Symptoms	No information available
11.3 Delayed and immediate effect	s as well as chronic effects from short and long-term exposure
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	May cause an allergic skin reaction. May cause sensitization of susceptible persons.
Mutagenic effects	Not classified.
Reproductive Toxicity	Suspected of damaging fertility or the unborn child
Developmental Effects Exposure route	Testes Oral
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified.
11.4 Carcinogenicity	
Carcinogenicity:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, OSHA or ACGIH.
Legend:	NTP (National Toxicology Program), IARC (International Agency for Research on Cancer), OSHA (Occupational Safety and Health Administration of the US Department of Labor), ACGIH (American Conference of Governmental Industrial Hygienists)

11.5 Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Product Information (Estimated):

ATEmix (oral)	> 2,000 mg/kg
ATEmix (dermal)	> 2,000 mg/kg
ATEmix (inhalation-dust/mist)	> 5 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tricresylphosphate 1330-78-5	> 20000 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Oxirane, [[(2-ethylhexyl)oxy]methyl]- 2461-15-6	= 7800 mg/kg (Rat)	2000 mg/kg	-

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

Chemical name	96h LC50 (fish - mg/L) (96HLCF)	48h EC50 (daphnia - mg/L) (48HLCD)	72h LC50 (algae - mg/L) (72HICA)
Tricresylphosphate	0.75	0.27	0.56
2,6-di-tert-butyl p-cresol	5.01	0.48	0.42

12.2 Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient
Tricresylphosphate 1330-78-5	5.93
Oxirane, [[(2-ethylhexyl)oxy]methyl]- 2461-15-6	3.83
2401-13-0	

12.4 Mobility in Environmental Media

No information available.

12.5 Other adverse effects:

PBT and vPvB assessment

No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

Waste Disposal Method	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated packaging	Dispose of in accordance with local regulations.

14.TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG_	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing		
DSL/NDSL	All ingredients are on the inventory or exempt from listing		
EINECS	All ingredients are on the inventory or exempt from listing		
ENCS	All ingredients are on the inventory or exempt from listing		
IECSC	All ingredients are on the inventory or exempt from listing		
KECL	All ingredients are on the inventory or exempt from listing		
AICS	All ingredients are on the inventory or exempt from listing		
REACH	To obtain information on the REACH compliance status of this product, please e-mail		
	ila.sds@idemitsu.com		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZLOC - New Zealand Inventory of Chemicals

REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are above threshold values of the reporting requirements of this Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute health hazard	Skin Sensitizer, Reproductive Toxicity
Chronic Health Hazard	Skin Sensitizer, Reproductive Toxicity
Fire hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not

contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs > 0.1%.

State Regulations

California Proposition 65

Label: This product does not contain any Proposition 65 chemicals

State Right-to-Know

Chemical name	CAS-No	weight-%	New Jersey
Tricresylphosphate	1330-78-5	1-5	Х

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)

16. OTHER INFORMATION NFPA Health hazards: 2 Flammability: 1 Instability: 0 Image: Prepared By: Latoya Walker Revision Date: 18-Jan-2024 Revision Summary: 3 Year Review

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet